



CITROEN SWITCHGEARS PVT. LTD.

AUTHORIZED DISTRIBUTORS AND CHANNEL PARTNER

147, Tavawala Building, Room No. 2, 1st Floor, Kantilal M Sharma St,
Lohar Chawl, Kalbadevi, Mumbai - 400002, Maharashtra

✉ citroenswg@gmail.com



www.citroenswitchgears.com

☎ 022-40223444 / 48



+91-9820329301



With effect from 16th March 2016

Electrification Products Price List (₹)

Power and productivity
for a better world™



Tmax power distribution circuit breakers

Type	I _n (40° C)[A]	U _e [V]		Category	Release	I _{cu} (380 - 415 V AC) [kA]									
		AC	DC			16	25	36	50	70	85	100	120	150	200
T1	160	690	500	A	TMD	B	C	N							
T2	160	690	500	A	MA (100 A) TMD MF (12,5 A) PR221DS			N	S	H	L				
T3	250	690	500	A	MA TMD TMG			N	S						
T4	250 320	690 1150	750 1000	A	MA (200 A) TMD (50 A) TMA (250 A) PR221DS PR222DS Ekip M Ekip E-LSIG			N	S	H			L		V
T5	400 630	690 1150	750 1000	B (400 A) A (630 A)	TMA (500 A) TMG (500 A) PR221DS PR222DS Ekip M Ekip E-LSIG			N	S	H			L		V
T6	630 800 1000	690 1150	750 1000	B (630A - 800 A) A (1000 A)	TMA (800 A) PR221DS PR222DS Ekip M PR223DS/EF			N	S	H		L		V	
T7	800 1000 1250 1600	690		B	PR231/P PR232/P PR331/P PR332/P				S	H			L	V	

Trip Units

Thermal magnetic trip units

- MA - Magnetic only trip unit with adjustable magnetic thresholds for motor protection
- TMF - Fixed thermal and fixed magnetic for power distribution
- TMD - Adjustable thermal (70-100%of I_n) and fixed magnetic (10 x I_n) for power distribution
- TMA - Adjustable thermal (70-100% of I_n) and adjustable magnetic (5-10 of I_n) for power distribution
- TMG - Adjustable thermal (70-100% of I_n) and low fixed magnetic (3 x I_n) for generator protection

Microprocessor based electronic trip units


PR221	L = 0.40 - 1 of I _n	PR222	L = 0.4 - 1 of I _n	PR231	L = 0.4 - 1 of I _n	PR331	L = 0.4 - 1 of I _n
	S = 1 - 10 of I _n		S = 0.6 - 10 of I _n		S = 1 - 10 of I _n		S = 0.6 - 10 of I _n
	I = 1 - 10 of I _n		I = 1.5 - 12 of I _n		I = 1 - 12 of I _n		I = 1.5 - 15 of I _n
			G = 0.2 - 1 of I _n				G = 0.2 - 1 of I _n

PR 223 EF Early fault detection and prevention from T4 - T7. Details on request

Tmax power distribution circuit breakers

T1

1



Breaking Capacity at 415VAC

	Icu	Ics(Icu)
B	16kA	100%
C	25kA	100%
N	36kA	75%




TMD

		T1B 160 F FC Cu Icu = 16kA, Ics = 100%(Icu)		T1C 160 F FC Cu Icu = 25kA, Ics = 100%(Icu)		T1N 160 F FC Cu Icu = 36kA, Ics = 75%(Icu)	
In (A)	Poles	Ordering Code	L.P.(₹)	Ordering Code	L.P.(₹)	Ordering Code	L.P.(₹)
16	3	1SDA050870R1	6,240	-	-	-	-
20		1SDA050871R1		-	-	-	-
25		1SDA050872R1 ■		1SDA050894R1	6,690	-	-
32		1SDA050873R1 ■		1SDA050895R1 ■		1SDA050917R1 ■	8,430
40		1SDA050874R1 ■		1SDA050896R1 ■		1SDA050918R1	
50		1SDA050875R1 ■		1SDA050897R1 ■		1SDA050919R1	
63		1SDA050876R1 ■		1SDA050898R1 ■		1SDA050920R1 ■	
80		1SDA050877R1 ■		1SDA050899R1 ■		1SDA050921R1	
100		1SDA050878R1 ■		1SDA050900R1 ■		1SDA050922R1 ■	
125		1SDA050879R1 ■	8,720	1SDA050901R1 ■	10,340	1SDA050923R1 ■	11,130
160		1SDA050880R1 ■	10,140	1SDA050902R1 ■	13,760	1SDA050924R1 ■	14,610
16	4	1SDA050881R1	8,600	-	-	-	-
20		1SDA050882R1		-	-	-	-
25		1SDA050883R1		1SDA050905R1	9,730	-	-
32		1SDA050884R1		1SDA050906R1		1SDA050928R1	10,620
40		1SDA050885R1		1SDA050907R1		1SDA050929R1	
50		1SDA050886R1		1SDA050908R1		1SDA050930R1	
63		1SDA050887R1 ■		1SDA050909R1 ■		1SDA050931R1 ■	
80		1SDA050888R1		1SDA050910R1		1SDA050932R1	
100		1SDA050889R1 ■		1SDA050911R1 ■		1SDA050933R1 ■	
125		1SDA050890R1 ■	10,920	1SDA050912R1 ■	12,310	1SDA050934R1 ■	13,480
160		1SDA050936R1 ■	14,660	1SDA050937R1 ■	16,190	1SDA050938R1 ■	17,700

■ Stock items

Tmax power distribution circuit breakers

T2



Breaking Capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	100%
S	50KA	100%
H	70KA	100%



1

TMD

In (A)	Poles
1.6	3
2	
2.5	
3.2	
4	
5	
6.3	
8	
10	
12.5	
16	
20	
25	
32	
40	
50	
63	
80	
100	
125	
160	
1.6	4
2	
2.5	
3.2	
4	
5	
6.3	
8	
10	
12.5	
16	
20	
25	
32	
40	
50	
63	
80	
100	
125	
160	

T2N 160 F F

Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA050940R1	10,420
1SDA050941R1	
1SDA050942R1	
1SDA050943R1	
1SDA050944R1	
1SDA050945R1	
1SDA050946R1	
1SDA050947R1	
1SDA050948R1	
1SDA050949R1	
1SDA050970R1	9,670
1SDA050951R1	
1SDA050952R1 ■	
1SDA050953R1 ■	
1SDA050954R1	
1SDA050955R1	
1SDA050956R1 ■	
1SDA050957R1 ■	
1SDA050958R1 ■	
1SDA050959R1 ■	
1SDA050960R1 ■	
1SDA050962R1	13,320
1SDA050963R1	
1SDA050964R1	
1SDA050965R1	
1SDA050966R1	
1SDA050967R1	
1SDA050968R1	
1SDA050969R1	
1SDA050970R1	
1SDA050971R1	
1SDA050972R1	12,990
1SDA050973R1	
1SDA050974R1	
1SDA050975R1	
1SDA050976R1	
1SDA050977R1	
1SDA050978R1 ■	
1SDA050979R1	
1SDA050980R1 ■	
1SDA051115R1 ■	
1SDA051116R1 ■	

T2S 160 F F

Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA050984R1	12,720
1SDA050985R1	
1SDA050986R1	
1SDA050987R1	
1SDA050988R1	
1SDA050989R1	
1SDA050990R1	
1SDA050991R1	
1SDA050992R1	
1SDA050993R1	
1SDA050994R1	12,080
1SDA050995R1	
1SDA050996R1 ■	
1SDA050997R1 ■	
1SDA050998R1	
1SDA050999R1	
1SDA051000R1 ■	
1SDA051001R1	
1SDA051002R1 ■	
1SDA051003R1 ■	15,360
1SDA051004R1 ■	
1SDA051006R1	
1SDA051007R1	
1SDA051008R1	
1SDA051009R1	
1SDA051010R1	
1SDA051011R1	
1SDA051012R1	
1SDA051013R1	16,430
1SDA051014R1	
1SDA051015R1	
1SDA051016R1	
1SDA051017R1	
1SDA051018R1	
1SDA051019R1	
1SDA051020R1	
1SDA051021R1	
1SDA051022R1 ■	
1SDA051023R1	16,050
1SDA051024R1 ■	
1SDA051117R1 ■	
1SDA051118R1 ■	

T2H 160 F F

Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA051028R1	17,070
1SDA051029R1	
1SDA051030R1	
1SDA051031R1	
1SDA051032R1	
1SDA051033R1	
1SDA051034R1	
1SDA051035R1	
1SDA051036R1	
1SDA051037R1	
1SDA051038R1	16,690
1SDA051039R1	
1SDA051040R1	
1SDA051041R1	
1SDA051042R1	
1SDA051043R1	
1SDA051044R1	
1SDA051045R1	
1SDA051046R1	
1SDA051047R1	22,220
1SDA051048R1	
1SDA051050R1	
1SDA051051R1	
1SDA051052R1	
1SDA051053R1	
1SDA051054R1	
1SDA051055R1	
1SDA051056R1	
1SDA051057R1	
1SDA051058R1	21,150
1SDA051059R1	
1SDA051060R1	
1SDA051061R1	
1SDA051062R1	
1SDA051063R1	
1SDA051064R1	
1SDA051065R1	
1SDA051066R1	
1SDA051067R1	
1SDA051068R1	20,660
1SDA051119R1	
1SDA051120R1	

■ Stock items

Tmax power distribution circuit breakers

T2

PR221 DS-LS/I

In (A)	Poles
10	3
25	
63	
100	
160	
10	4
25	
63	
100	
160	

T2N 160 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA051123R1	16,630
1SDA051124R1	
1SDA051125R1 ■	
1SDA051126R1 ■	
1SDA051127R1 ■	
1SDA051128R1	20,630
1SDA051129R1	21,580
1SDA051130R1	
1SDA051131R1	
1SDA051613R1	28,420


T2S 160 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA051133R1	20,000
1SDA051134R1	
1SDA051135R1 ■	
1SDA051136R1 ■	
1SDA051137R1 ■	
1SDA051138R1	26,840
1SDA051139R1	25,260
1SDA051140R1	
1SDA051141R1	
1SDA051614R1	35,260

T2H 160 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA051143R1	22,540
1SDA051144R1	
1SDA051145R1	
1SDA051146R1	
1SDA051147R1	
1SDA051148R1	30,420
1SDA051149R1	28,540
1SDA051150R1	
1SDA051151R1	
1SDA051615R1	38,900

T3



Breaking Capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	75%
S	50KA	50%



TMD

In (A)	Poles
200	3
250	
200	4
250	

T3N 250 F F Icu = 36KA, Ics = 75%(Icu)

Ordering Code	L.P.(₹)
1SDA051246R1 ■	17,200
1SDA051247R1 ■	19,800
1SDA051305R1 ■	22,000
1SDA051306R1 ■	25,000


T3S 250 F F Icu = 50KA, Ics = 50%(Icu)

Ordering Code	L.P.(₹)
1SDA051268R1 ■	20,000
1SDA051269R1 ■	23,000
1SDA051309R1 ■	25,500
1SDA051310R1 ■	27,000

■ Stock items

Tmax power distribution circuit breakers

T4



Breaking Capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	100%
S	50KA	100%
H	70KA	100%



T4 250 TMA

In (A)	Poles
80	3
100	
125	
160	
200	
250	4
80	
100	
125	
160	
200	
250	

T4N 250 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054174R1	20,600
1SDA054175R1	
1SDA054176R1	
1SDA054177R1	
1SDA054178R1 ■	
1SDA054179R1 ■	24,780
1SDA054183R1	
1SDA054184R1	
1SDA054271R1	
1SDA054272R1	
1SDA054273R1 ■	28,020
1SDA054274R1 ■	
1SDA054274R1 ■	29,270

T4S 250 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054192R1	24,780
1SDA054193R1	
1SDA054194R1	
1SDA054195R1	
1SDA054196R1 ■	
1SDA054197R1 ■	27,040
1SDA054201R1	
1SDA054202R1	
1SDA054275R1	
1SDA054276R1	
1SDA054277R1 ■	31,490
1SDA054278R1 ■	
1SDA054278R1 ■	32,570

T4H 250 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054210R1	28,540
1SDA054211R1	
1SDA054212R1	
1SDA054213R1	
1SDA054214R1	
1SDA054215R1	31,270
1SDA054219R1	
1SDA054220R1	
1SDA054279R1	
1SDA054280R1	
1SDA054281R1	35,250
1SDA054282R1	
1SDA054282R1	37,970

PR221 DS-LS/I

250	3
250	4

1SDA053999R1 ■	27,560
1SDA054011R1 ■	35,880

1SDA054023R1 ■	34,320
1SDA054035R1 ■	40,040

1SDA054047R1	37,320
1SDA054059R1	43,270

PR222DS/P-LSIG

100	3
160	
250	
100	4
160	
250	

1SDA054006R1 ■	39,520
1SDA054007R1 ■	
1SDA054008R1 ■	
1SDA054018R1	47,840
1SDA054019R1	
1SDA054020R1 ■	

1SDA054030R1 ■	41,080
1SDA054031R1 ■	
1SDA054032R1 ■	
1SDA054042R1	50,440
1SDA054043R1	
1SDA054044R1 ■	

1SDA054054R1	51,920
1SDA054055R1	
1SDA054056R1	
1SDA054066R1	62,740
1SDA054067R1	
1SDA054068R1	

PR222DS/PD-LSIG

100	3
160	
250	
100	4
160	
250	

1SDA081497R1	63,520
1SDA081498R1	
1SDA081499R1	
1SDA081509R1	71,840
1SDA081510R1	
1SDA081511R1	

1SDA081501R1	65,080
1SDA081502R1	
1SDA081503R1	
1SDA081513R1	74,440
1SDA081514R1	
1SDA081515R1	

1SDA081505R1	75,920
1SDA081506R1	
1SDA081507R1	
1SDA081517R1	86,740
1SDA081518R1	
1SDA081519R1	

Note: Order X3 connector - 1SDA055059R1 along with PR222DS/PD-LSIG

T4 320

PR221 DS-LS/I

In (A)	Poles
320	3
320	4

T4N 320 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054117R1 ■	32,990
1SDA054121R1	40,560

T4S 320 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054125R1 ■	36,780
1SDA054129R1	46,510

T4H 320 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054133R1	42,730
1SDA054137R1	53,540

■ Stock items

Tmax power distribution circuit breakers

T4

PR222DS/P-LSIG

In (A)	Poles
320	3
320	4

T4N 320 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054120R1 ■	48,680
1SDA054124R1	54,080

T4S 320 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054128R1 ■	49,760
1SDA054132R1	56,250

T4H 320 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054136R1	59,490
1SDA054140R1	67,060

PR222DS/PD-LSIG

320	3
320	4


1SDA081500R1	72,680
1SDA081512R1	78,080

1SDA081504R1	73,760
1SDA081513R1	80,250

1SDA081508R1	83,490
1SDA081520R1	91,060

Note: Order X3 connector - 1SDA055059R1 along with PR222DS/PD-LSIG

T5



Breaking capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	100%
S	50KA	100%
H	70KA	100%



T5 400 TMA

In (A)	Poles
320	3
400	
320	4
400	

T5N 400 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054436R1 ■	29,830
1SDA054437R1 ■	
1SDA054477R1	37,170
1SDA054478R1	

T5S 400 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054440R1 ■	31,000
1SDA054441R1 ■	
1SDA054479R1	38,570
1SDA054480R1	

T5H 400 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054444R1	35,790
1SDA054445R1	
1SDA054481R1	41,520
1SDA054482R1	

PR221 DS-LS/I

400	3
400	4

1SDA054317R1 ■	35,230
1SDA054325R1 ■	43,750

1SDA054333R1 ■	38,620
1SDA054341R1 ■	49,980

1SDA054349R1	46,740
1SDA054357R1	58,430

PR222DS/P-LSIG

400	3
400	4

1SDA054323R1 ■	52,310
1SDA054331R1	59,500

1SDA054339R1 ■	54,530
1SDA054347R1	61,210

1SDA054355R1	67,780
1SDA054363R1	75,960

PR222DS/PD-LSIG

400	3
400	4

1SDA081522R1	76,310
1SDA081531R1	83,500

1SDA081525R1	78,530
1SDA081534R1	85,210

1SDA081528R1	91,780
1SDA081537R1	99,960

Note: Order X3 connector - 1SDA055059R1 along with PR222DS/PD-LSIG

■ Stock items

Tmax power distribution circuit breakers

T5 630 TMA

In (A)	Poles
500	3
500	4

T5N 630 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054456R1 ■	33,340
1SDA054487R1	42,690

T5S 630 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054461R1 ■	36,230
1SDA054489R1	46,740

T5H 630 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054465R1	46,190
1SDA054491R1	56,090

PR221 DS-LS/I

630	3
630	4

1SDA054396R1 ■	37,510
1SDA054400R1	51,090

1SDA054404R1 ■	42,020
1SDA054408R1	55,640

1SDA054412R1	49,750
1SDA054416R1	64,890

PR222DS/P-LSIG

630	3
630	4

1SDA054399R1 ■	55,640
1SDA054403R1	64,550

1SDA054407R1 ■	57,870
1SDA054411R1	71,220

1SDA054415R1	70,110
1SDA054419R1	95,820

PR222DS/PD-LSIG

630	3
630	4

1SDA081523R1	79,640
1SDA081532R1	88,550

1SDA081526R1	81,870
1SDA081535R1	95,220

1SDA081529R1	94,110
1SDA081538R1	119,820

Note: Order X3 connector - 1SDA055059R1 along with PR222DS/PD-LSIG

Ekip E-LSIG

NEW

In (A)	Poles
320	3
400	3
630	3
320	4
400	4
630	4


Ordering Code	L.P.(₹)
1SDA081043R1 ■	Upon request
1SDA081048R1 ■	
1SDA081063R1 ■	
1SDA081053R1	
1SDA081058R1	
1SDA081068R1	

Ordering Code	L.P.(₹)
1SDA081044R1 ■	Upon request
1SDA081049R1 ■	
1SDA081064R1 ■	
1SDA081045R1	
1SDA081059R1	
1SDA081069R1	

Ordering Code	L.P.(₹)
1SDA081045R1	Upon request
1SDA081050R1	
1SDA081065R1	
1SDA081055R1	
1SDA081060R1	
1SDA081070R1	

Note: In order to receive for each complete CB the version with the communication function active, the extracode 1SDA081094R1 will have to be added.

T6



Breaking Capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	100%
S	50KA	100%
H	70KA	100%



T6 630 TMA

In (A)	Poles
630	3
630	4

T6N 630 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060202R1 ■	38,380
1SDA060210R1	46,010

T6S 630 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060204R1 ■	39,500
1SDA060211R1	50,720

T6H 630 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060206R1	47,050
1SDA060212R1	58,510

T6 800 TMA

In (A)	Poles
800	3
800	4

T6N 800 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060214R1 ■	49,560
1SDA060222R1	56,000

T6S 800 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060216R1 ■	51,960
1SDA060223R1	61,350

T6H 800 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060218R1	53,060
1SDA060224R1	63,740

■ Stock items

Tmax power distribution circuit breakers

1

PR221 DS-LS/I

In (A)	Poles
800	3
800	4

PR222DS/P-LSIG

800	3
800	4

PR222DS/PD-LSIG

800	3
800	4

T6 1000

PR221 DS-LS/I

In (A)	Poles
1000	3
1000	4

PR222DS/P-LSIG

1000	3
1000	4

PR222DS/PD-LSIG

1000	3
1000	4

T6N 800 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060268R1 ■	59,490
1SDA060273R1	67,900

T6S 800 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060278R1 ■	66,690
1SDA060283R1	82,850

T6H 800 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060289R1	81,650
1SDA060294R1	1,01,080

1SDA060271R1 ■	88,310
1SDA060276R1	1,02,060

1SDA060281R1 ■	92,450
1SDA060286R1	1,04,450

1SDA060292R1	1,02,930
1SDA060297R1	1,21,150

1SDA081540R1	112,310
1SDA081543R1	126,060

1SDA081546R1	116,450
1SDA081549R1	128,450

1SDA081552R1	126,930
1SDA081555R1	145,150

T6N 1000 E F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060537R1	91,250
1SDA060542R1	1,32,060

T6S 1000 E F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060547R1	98,460
1SDA060556R1	1,38,070

T6H 1000 E F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060561R1	1,17,660
1SDA060566R1	1,68,080

1SDA060540R1	1,20,060
1SDA060545R1	1,59,690

1SDA060554R1	1,32,060
1SDA060559R1	1,68,080

1SDA060564R1	1,62,080
1SDA060569R1	2,04,100


1SDA081541R1	144,060
1SDA081544R1	183,690

1SDA081547R1	156,060
1SDA081550R1	192,080

1SDA081553R1	186,080
1SDA081556R1	226,100

Note: Extended front (EF) terminals are supplied as standard in T6 1000A MCCB
Order X3 connector - 1SDA055059R1 along with PR222DS/PD-LSIG

T7



Breaking Capacity at 415VAC

	Icu	Ics(Icu)
S	50KA	100%
H	70KA	100%



T7 1250

PR231/P LS/I

In (A)	Poles
1250	3
1250	4

T7S 1250 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA062866R1	1,25,880
1SDA062874R1	1,58,100

T7H 1250 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA062898R1	1,70,790
1SDA062906R1	2,04,030

PR331/P LSIG

1250	3
1250	4

1SDA062868R1	1,61,840
1SDA062876R1	1,79,750

1SDA062900R1	1,94,160
1SDA062908R1	2,29,060

■ Stock items

Tmax power distribution circuit breakers

PR332/P LSIG

In (A)	Poles
1250	3
1250	4

T7S 1250 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA062871R1	1,68,170
1SDA062879R1	1,91,940

T7H 1250 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA062903R1	2,07,870
1SDA062911R1	2,41,110

T7 1600

PR231/P LS/I

In (A)	Poles
1600	3
1600	4

T7S 1600 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA062994R1	1,44,920
1SDA063002R1	1,74,020

T7H 1600 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA063026R1	1,87,620
1SDA063034R1	2,26,370

PR331/P LSIG

1600	3
1600	4

1SDA062996R1	1,68,170
1SDA063004R1	1,97,790

1SDA063028R1	2,12,750
1SDA063036R1	2,47,660

PR332/P LSIG

1600	3
1600	4

1SDA062999R1	1,82,480
1SDA063007R1	2,09,960

1SDA063031R1	2,25,330
1SDA063039R1	2,64,900

T7

T7 1250M

PR231/P LS/I

In (A)	Poles
1250	3
1250	4

T7S 1250M F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA062882R1	1,44,920
1SDA062889R1	1,71,300

T7H 1250M F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA062914R1	1,89,280
1SDA062922R1	2,27,500

PR331/P LSIG

1250	3
1250	4

1SDA062884R1	1,69,180
1SDA062892R1	1,96,670

1SDA062916R1	2,15,460
1SDA062924R1	2,52,540

PR332/P LSIG

1250	3
1250	4

1SDA062887R1	1,79,750
1SDA062895R1	2,08,860

1SDA062919R1	2,26,370
1SDA062927R1	2,66,150

T7 1600M

PR231/P LS/I

In (A)	Poles
1600	3
1600	4

T7S 1600M F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA063010R1	1,60,730
1SDA063018R1	1,94,060

T7H 1600M F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA063042R1	2,11,620
1SDA063050R1	2,53,060

PR331/P LSIG

1600	3
1600	4

1SDA063012R1	1,84,590
1SDA063020R1	2,18,430

1SDA063044R1	2,35,090
1SDA063052R1	2,78,200

PR332/P LSIG

1600	3
1600	4

1SDA063015R1	1,96,670
1SDA063023R1	2,29,000


1SDA063047R1	2,47,660
1SDA063055R1	2,90,770

Note : For Motorizable T7 M frame, order along with above code, motor operator, shunt opening coil & shunt closing coil of required voltage.

Tmax motor protection circuit breakers

T2

1



Breaking capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	100%
S	50KA	100%
H	70KA	100%



T2 160 MF

In (A)	Poles
1	3
1.6	
2	
2.5	
3.2	
4	
5	
6.5	
8.5	
11	
12.5	

T2N 160 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA053110R1	12,630
1SDA053111R1	
1SDA053112R1	
1SDA0531131R1	
1SDA053114R1	
1SDA053115R1	
1SDA053116R1	
1SDA053117R1	
1SDA053118R1	
1SDA053119R1	
1SDA053120R1	

T2S 160 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA053121R1	13,680
1SDA053122R1	
1SDA053123R1	
1SDA053124R1	
1SDA053125R1	
1SDA053126R1	
1SDA053127R1	
1SDA053128R1	
1SDA053129R1	
1SDA053130R1	
1SDA053131R1	

T2H 160 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA053132R1	14,860
1SDA053133R1	
1SDA053134R1	
1SDA053135R1	
1SDA053136R1	
1SDA053137R1	
1SDA053138R1	
1SDA053139R1	
1SDA053140R1	
1SDA053141R1	
1SDA053142R1	

MA

20	3
32	
52	
80	
100	

Ordering Code	L.P.(₹)
1SDA051207R1	12,380
1SDA051208R1	
1SDA051209R1	
1SDA051210R1	
1SDA051211R1	

Ordering Code	L.P.(₹)
1SDA051216R1	13,410
1SDA051217R1	
1SDA051218R1	
1SDA051219R1	
1SDA051220R1	

Ordering Code	L.P.(₹)
1SDA051224R1	14,740
1SDA051225R1	
1SDA051226R1	
1SDA051227R1	
1SDA051228R1	

PR221 DS-I

In (A)	Poles
10	3
25	
63	
100	
160	


Ordering Code	L.P.(₹)
1SDA051163R1	16,630
1SDA051164R1	
1SDA051165R1	
1SDA051166R1	
1SDA051168R1	20,630

Ordering Code	L.P.(₹)
1SDA051174R1	20,000
1SDA051175R1	
1SDA051176R1	
1SDA051177R1	
1SDA051178R1	26,840

Ordering Code	L.P.(₹)
1SDA051184R1	21,050
1SDA051185R1	
1SDA051186R1	
1SDA051187R1	
1SDA051188R1	28,420

Tmax motor protection circuit breakers

T3



Breaking capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	75%
S	50KA	50%



T3 250 MA

In (A)	Poles
100	3
125	
160	
200	


T3N 250 F F Icu = 36KA, Ics = 75%(Icu)

Ordering Code	L.P.(₹)
1SDA051315R1	14,860
1SDA051316R1	
1SDA051317R1	
1SDA051318R1	17,060

T3S 250 F F Icu = 50KA, Ics = 50%(Icu)

Ordering Code	L.P.(₹)
1SDA051320R1	15,450
1SDA051321R1	
1SDA051322R1	
1SDA051323R1	17,560

T4



Breaking capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	100%
S	50KA	100%



T4 250 MA

In (A)	Poles
125	3
160	
200	

T4N 250 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054298R1	26,320
1SDA054299R1	
1SDA054300R1	

T4S 250 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054304R1	28,650
1SDA054305R1	
1SDA054306R1	

PR221 DS-I

In (A)	Poles
250	3
320	

T4N 250 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054002R1	31,510
1SDA054118R1	34,480

T4S 250 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054026R1	34,170
1SDA054126R1	37,230

T4H 250 F F Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054050R1	41,010
1SDA054134R1	44,880

Ekip M-LRIU

In (A)	Poles
100	3
160	
200	

T4N 250 F F Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054522R1	44,500
1SDA054523R1	
1SDA054524R1	


T4S 250 F F Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054525R1	49,500
1SDA054526R1	
1SDA054527R1	

Tmax motor protection circuit breakers

T5

1



Breaking capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	100%
S	50KA	100%



T5 400 PR221 DS-I

In (A)	Poles
400	3

T5N 400 F F

Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054319R1	34,550

T5S 400 F F

Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054335R1	37,880

T5H 400 F F

Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054351R1	45,840

Ekip M-LRIU

In (A)	Poles
320	3
400	3

T5N 400 F F

Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054551R1	55,670
1SDA054552R1	

T5S 400 F F

Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054553R1	62,440
1SDA054554R1	

T5 630 PR221 DS-I

In (A)	Poles
630	3

T5N 630 F F

Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054397R1	36,790

T5S 630 F F

Icu = 50KA, Ics = 100%(Icu)


Ordering Code	L.P.(₹)
1SDA054405R1	41,210

T5H 630 F F

Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA054413R1	48,790

T6



Breaking capacity at 415VAC

	Icu	Ics(Icu)
N	36KA	100%
S	50KA	100%
H	70KA	100%



T6 800 PR221 DS-I

In (A)	Poles
800	3

T6N 800 F F

Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060269R1	59,490

T6S 800 F F

Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060279R1	66,690

T6H 800 F F

Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060290R1	81,650

Ekip M-LRIU

In (A)	Poles
630	3

T6N 800 F F

Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060311R1	78,260

T6S 800 F F

Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060312R1	85,570

T6H 800 F F

Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060313R1	99,370

T6 1000 PR221 DS-I

In (A)	Poles
1000	3

T6N 1000 E F

Icu = 36KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060538R1	91,250

T6S 1000 E F

Icu = 50KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060548R1	98,460


T6H 1000 E F

Icu = 70KA, Ics = 100%(Icu)

Ordering Code	L.P.(₹)
1SDA060562R1	1,14,060

Tmax motor protection circuit breakers

T7



Breaking Capacity at 415VAC

	Icu	Ics
S	50KA	100%
H	70KA	100%



T7 1250 PR231/P I

In (A)	Poles
1250	3
1250	4

T7S 1250 F F Icu = 50KA, Ics = 100%

Ordering Code	L.P.(₹)
1SDA062865R1	1,19,540
1SDA062873R1	1,55,490

T7H 1250 F F Icu = 70KA, Ics = 100%

Ordering Code	L.P.(₹)
1SDA062897R1	1,69,640
1SDA062905R1	2,02,880

T7 1600 PR231/P I

In (A)	Poles
1600	3
1600	4

T7S 1600 F F Icu = 50KA, Ics = 100%

Ordering Code	L.P.(₹)
1SDA062993R1	1,43,810
1SDA063001R1	1,72,410

T7H 1600 F F Icu = 70KA, Ics = 100%

Ordering Code	L.P.(₹)
1SDA063025R1	1,86,580
1SDA063033R1	2,23,660

T7 1250M PR231/P I

In (A)	Poles
1250	3
1250	4

T7S 1250M F F Icu = 50KA, Ics = 100%

Ordering Code	L.P.(₹)
1SDA062881R1	1,34,340
1SDA062889R1	1,71,300

T7H 1250M F F Icu = 70KA, Ics = 100%

Ordering Code	L.P.(₹)
1SDA062913R1	1,88,240
1SDA062921R1	2,26,370

T7 1600M PR231/P I

In (A)	Poles
1600	3
1600	4

T7S 1600M F F Icu = 50KA, Ics = 100%


Ordering Code	L.P.(₹)
1SDA063009R1	1,59,720
1SDA063017R1	1,91,940

T7H 1600M F F Icu = 70KA, Ics = 100%

Ordering Code	L.P.(₹)
1SDA063041R1	2,10,580
1SDA063049R1	2,52,540

Tmax generator protection circuit breaker

T3



Breaking Capacity at 415VAC

	Icu	Ics
N	36KA	75%
S	50KA	50%



T3 TMG

In (A)	Poles
200	3
250	
200	4
250	

T3N 250 F F Icu = 36KA, Ics = 75%





Ordering Code	L.P.(₹)
1SDA055110R1	16,220
1SDA055111R1	18,820
1SDA055117R1	21,240
1SDA055118R1	24,130

T3S 250 F F Icu = 50KA, Ics = 50%

Ordering Code	L.P.(₹)
1SDA055124R1	19,300
1SDA055125R1	22,200
1SDA055131R1	24,620
1SDA055132R1	26,070

Tmax switch disconnectors

1



T1D - Fixed (F), I_{cw} (1s) = 2,2 kA

T1D 160 F FC Cu

Poles	In(A)	Ordering Code	L.P.(₹)
3	160	1SDA051325R1	8,210
4	160	1SDA051326R1	12,030

T3D - Fixed (F), I_{cw} (1s) = 3.6 kA

T3D 250 F F

In(A)	Ordering Code	L.P.(₹)
250	1SDA051327R1	18,100
250	1SDA051328R1	21,640

T4D- Fixed (F), I_{cw} (1s) = 3,6 kA

T4D 250 F F

Poles	In(A)	Ordering Code	L.P.(₹)
3	250	1SDA057172R1	20,670
4	250	1SDA057173R1	27,480

T4D 320 F F

In(A)	Ordering Code	L.P.(₹)
320	1SDA054597R1	23,050
320	1SDA054598R1	30,290

T5D- Fixed (F) , I_{cw} (1s) = 3,6 kA

T5D 400 F F

Poles	In(A)	Ordering Code	L.P.(₹)
3	400	1SDA054599R1	25,600
4	400	1SDA054600R1	32,500

T5D 630 F F

In(A)	Ordering Code	L.P.(₹)
500	1SDA054601R1	31,160
500	1SDA054602R1	39,730

T6D - Fixed (F), I_{cw} (1s) = 15 kA

T6D 630 F F

Poles	In(A)	Ordering Code	L.P.(₹)
3	630	1SDA060343R1	35,280
4	630	1SDA060344R1	42,410

T6D 800 F F

In(A)	Ordering Code	L.P.(₹)
800	1SDA060345R1	38,950
800	1SDA060346R1	63,660

T6D 1000 E F

In(A)	Ordering Code	L.P.(₹)
1000	1SDA060594R1	67,890
1000	1SDA060595R1	84,810

T7D- Fixed (F), I_{cw} (1s) = 20 kA

T7D 1000 F F

Poles	In(A)	Ordering Code	L.P.(₹)
3	1000	1SDA062032R1	77,070
4	1000	1SDA062033R1	98,230

T7D 1250 F F

In(A)	Ordering Code	L.P.(₹)
1250	1SDA062036R1	1,04,960
1250	1SDA062037R1	1,29,100

T7D 1600 F F

In(A)	Ordering Code	L.P.(₹)
1600	1SDA062040R1	1,09,370
1600	1SDA062041R1	1,34,610

T7D M - Fixed (F), I_{cw} (1s) = 20 kA

T7D 1000 M F F

Poles	In(A)	Ordering Code	L.P.(₹)
3	1000	1SDA062034R1	95,140
4	1000	1SDA062035R1	1,20,400

T7D 1250 M F F

In(A)	Ordering Code	L.P.(₹)
1250	1SDA062038R1	1,09,370
1250	1SDA062039R1	1,34,610

T7D 1600 M F F

In(A)	Ordering Code	L.P.(₹)
1600	1SDA062042R1	1,20,400
1600	1SDA062043R1	1,50,050

Tmax accessories

Accessories for T-Max MCCBs

Extended Spreaded terminals - ES			
Frame	Description	Ordering code	L.P.(₹)
T1	Kit EST1 6pcs	1SYN450201R0001 ■	830
	Kit EST1 8pcs	1SYN450207R0001 ■	930
T2	Kit EST2 6pcs	1SYN450202R0001 ■	1,240
	Kit EST2 8pcs	1SYN450208R0001 ■	1,470
T3	Kit EST3 6pcs	1SYN450203R0001 ■	1,400
	Kit EST3 8pcs	1SYN450209R0001 ■	1,760
T4	Kit EST4 6pcs	1SYN450204R0001 ■	1,680
	Kit EST4 8pcs	1SYN450210R0001	2,010
T5	Kit EST5 6pcs (for 400A)	1SYN450205R0001 ■	2,320
	Kit EST5 8pcs (for 400A)	1SYN450211R0001	2,910
	Kit EST5 6pcs (for 630A)	1SYN450206R0001 ■	2,320
	Kit EST5 8pcs (for 630A)	1SYN450212R0001	2,910

Note: Phase barrier supplied as standard with above spreaders

Seperators - PB			
Frame	Description	Ordering code	L.P.(₹)
T1	PB100 4 pcs - Low T1	1SYN850205R0001 ■	600
	PB100 6 pcs - Low T1	1SYN850208R0001	710
T2-T3	PB100 4 pcs - Low T2-T3	1SYN850206R0001 ■	710
	PB100 6 pcs - Low T2-T3	1SYN850209R0001	980
T4-T5	PB100 4 pcs - Low T4, T5	1SYN850207R0001 ■	830
	PB100 6 pcs - Low T4, T5 - 400A	1SYN850210R0001	1,190






Note: For T5 630A contact the nearest sales office

Rotary handle operating mechanism

Direct - RHD			
Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3	RHD Normal T1-T2-T3	1SDA051381R1 ■	1,660
	RHD_EM Emergency T1-T2-T3	1SDA051382R1	1,930
	RHD Normal for Fixed/Plug-in T4-T5	1SDA054926R1 ■	3,260
T4-T5	RHD_EM Emergency for Fixed/Plug-in T4-T5	1SDA054927R1	3,500
	RHD Normal for Withdrawable T4-T5	1SDA054928R1	3,620
	RHD_EM Emergency for Withdrawable T4-T5	1SDA055234R1	4,070
T6	RHD Normal for Fixed T6	1SDA060405R1	4,460
	RHD Normal for Withdrawable T6	1SDA060407R1	5,620
	RHD_EM Emergency for Fixed T6	1SDA060406R1	5,620
	RHD_EM Emergency for Withdrawable T6	1SDA060408R1	6,210
T7	RHD Normal for Fixed/Plug-in T7	1SDA062120R1	5,790
	RHD_EM Emergency for Fixed/Withdrawable T7	1SDA062121R1	6,320

Transmitted - RHE			
Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3	RHE_S T1-T2-T3 250MM	1SDA070207R1 ■	1,750
	RHE_EM Emergency T1-T2-T3	1SDA051384R1	3,380
T4-T5	RHE Normal for Fixed/Plug-in T4-T5 250mm	1SDA070447R1 ■	3,040
	RHE_EM Emergency for Fixed/Plug-in T4-T5	1SDA054930R1	5,860
	RHE Normal for Withdrawable T4-T5	1SDA054933R1	5,300
	RHE_EM Emergency for Withdrawable T4-T5	1SDA054934R1	5,780
T6	RHE Normal for Fixed T6	1SDA060409R1 ■	5,810
	RHE Normal for Withdrawable T6	1SDA060411R1	6,750
	RHE_EM Emergency for Fixed T6	1SDA060410R1	7,280
	RHE_EM Emergency for Withdrawable T6	1SDA060412R1	6,750
T7	RHE Normal for Fixed/Plug-in T7	1SDA062122R1	7,040
	RHE_EM Emergency for Fixed/Withdrawable T7	1SDA062123R1	8,430


Cabled Contact in Electronic Version			
Frame	Description	Ordering code	L.P.(₹)
T4-T5	AUX-E-C 1Q 1SY T4-T5	1SDA054916R1	4,970
T6	AUX-E-C 1Q 1SY T6	1SDA064161R1	5,790



■ Stock items

Tmax accessories

1




Electrical signals

Auxiliary Contact - AUX			
Frame	Description	Ordering code	L.P.(₹)
T1...T6(1)	AUX 1Q 1SY 250V AC/DC T1...T6 (1)	1SDA051368R1 ■	1,500
	AUX 3Q 1SY 250V AC/DC T1...T6 (1)	1SDA051369R1 ■	2,440
	AUX 3Q 1SY 24V DC T1...T6 (1)	1SDA054914R1	2,340
T4-T5	AUX-SA 1 S51 T4-T5	1SDA055050R1	
T7M-X1	AUX 2Q 24V DC T7M-X1	1SDA062101R1	1,500
	AUX 2Q 400V AC T7M-X1	1SDA062102R1	
T7M-X1	AUX SA T7M-X1 S51 24VDC	1SDA066100R1	
	AUX SA T7M-X1 S51 250VAC	1SDA063553R1	6,730
T7	AUX 1Q + 1SY 24V DC T7	1SDA062103R1	
	AUX 1Q + 1SY 400V AC T7	1SDA062104R1	2,340

Note (1): Cannot be used with T2 MCCB fitted with PR221DS trip unit

Note: For T7 TM in Withdrawable Version Sliding Contact Blocks for Fixed and moving Part are Necessary



Auxiliary Contact Cabled-Version - AUX - C			
Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3 (1)	AUX-C 1Q 1SY 250 V AC/DC T1-T2-T3 (1)	1SDA051370R1	2,000
	AUX-C 3Q 1SY 250 V AC/DC T1-T2-T3 (1)	1SDA051371R1	3,750
	AUX-C 3Q 1SY T1-T2-T3 (1)	1SDA055361R1	3,160
T2	AUX-C 1Q 1SY 1S51 - PR221 T2	1SDA053704R1 ■	2,450
	AUX-C 2Q 1SY - PR221 T2	1SDA055504R1	2,820
T4-T5-T6	AUX-C 1Q 1SY 250V AC/DC C T4-T5-T6	1SDA054910R1	2,000
	AUX-C 1Q 1SY 400V AC C T4-T5-T6	1SDA054912R1	2,950
	AUX-C 2Q 400V AC C T4-T5-T6	1SDA054913R1	3,380
	AUX-C 3Q 1SY 24VDC C T4-T5-T6	1SDA054915R1	3,160
	AUX-C 3Q 1SY 250V AC/DC C T4-T5-T6	1SDA054911R1	3,750

Opening release


Shunt Opening Release - SOR			
Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3	SOR 12V DC T1-T2-T3	1SDA053000R1	
	SOR 24...30V AC/DC T1-T2-T3	1SDA051333R1	
	SOR 48...60V AC/DC T1-T2-T3	1SDA051334R1	
	SOR 110...127V AC-110...125V DC T1-T2-T3	1SDA051335R1	1,970
	SOR 220...240V AC-220...250V DC T1-T2-T3	1SDA051336R1 ■	
	SOR 380...440V AC T1-T2-T3	1SDA051337R1	
	SOR 480...525V AC T1-T2-T3	1SDA051338R1	
T4-T5-T6	SOR 12V DC T4-T5-T6	1SDA054862R1	
	SOR 24V AC/DC T4-T5-T6	1SDA054863R1	
	SOR 48...60V AC/DC T4-T5-T6	1SDA054864R1	
	SOR 110...120V AC-110...125V DC T4-T5-T6	1SDA054865R1	3,030
	SOR 220...240V AC-220...250V DC T4-T5-T6	1SDA054866R1 ■	
	SOR 380...440V AC T4-T5-T6	1SDA054867R1	
	SOR 480...500V AC T4-T5-T6	1SDA054868R1	
T7-T7M-X1	SOR 24V AC/DC T7-T7M-X1	1SDA062065R1	
	SOR 30V AC/DC T7-T7M-X1	1SDA062066R1	
	SOR 48V AC/DC T7-T7M-X1	1SDA062067R1	
	SOR 60V AC/DC T7-T7M-X1	1SDA062068R1	
	SOR 110...120V AC/DC T7-T7M-X1	1SDA062069R1	
	SOR 120...127V AC/DC T7-T7M-X1	1SDA063547R1	5,930
	SOR 220...240V AC/DC T7-T7M-X1	1SDA063548R1 ■	
	SOR 240...250V AC/DC T7-T7M-X1	1SDA062070R1	
	SOR 380...400V AC T7-T7M-X1	1SDA062071R1	
	SOR 415...440V AC T7-T7M-X1	1SDA062072R1	

Note (1): Cannot be used with T2 MCCB fitted with PR221DS trip unit

Note: For T7 TM in Withdrawable Version Sliding Contact Blocks for Fixed and Moving Part are Necessary


■ Stock items

Tmax accessories



Shunt opening release - SOR - C			
Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3	SOR-C 12V DC T1-T2-T3	1SDA053001R1	3,150
	SOR-C 24 ...30V AC/DC T1-T2-T3	1SDA051339R1	
	SOR-C 48...60V AC/DC T1-T2-T3	1SDA051340R1	
	SOR-C 110...127V AC-110...125V DC T1-T2-T3	1SDA051341R1	
	SOR-C 220...240V AC-220...250V DC T1-T2-T3	1SDA051342R1	
	SOR-C 380...440V AC T1-T2-T3	1SDA051343R1	
	SOR-C 480...525V AC T1-T2-T3	1SDA051344R1	
T4-T5-T6	SOR-C 12V DC T4-T5-T6	1SDA054869R1	5,350
	SOR-C 24V AC/DC T4-T5-T6	1SDA054870R1	
	SOR-C 48...60V AC/DC T4-T5-T6	1SDA054871R1	
	SOR-C 110...120V AC-110...125V DC T4-T5-T6	1SDA054872R1	
	SOR-C 220...240V AC-220...250V DC T4-T5-T6	1SDA054873R1	
	SOR 380...440V AC T4-T5-T6	1SDA054875R1	
	SOR 480...500V AC T4-T5-T6	1SDA054868R1	

Test unit- SOR




Frame	Description	Ordering code	L.P.(₹)
T7-T7M-X1-E1/6	SOR test unit T7-T7M-X1-E1/6	1SDA050228R1	27,810

Under voltage release - UVR

Frames	Description	Ordering code	L.P.(₹)
T1-T2-T3	UVR 24 ...30V AC/DC T1-T2-T3	1SDA051345R1	3,940
	UVR 48V AC/DC T1-T2-T3	1SDA051346R1	
	UVR 60V AC/DC T1-T2-T3	1SDA052333R1	
	UVR 110...127V AC-110...125V DC T1-T2-T3	1SDA051347R1	
	UVR 220...240V AC-220...250V DC T1-T2-T3	1SDA051348R1 ■	
	UVR 380...440V AC T1-T2-T3	1SDA051349R1 ■	
	UVR 480...500V AC T1-T2-T3	1SDA051350R1	
T4-T5-T6	UVR 24V AC/DC T4-T5-T6	1SDA054880R1	6,370
	UVR 48V AC/DC T4-T5-T6	1SDA054881R1	
	UVR 60V AC/DC T4-T5-T6	1SDA054882R1	
	UVR 110...120V AC-110...125V DC T4-T5-T6	1SDA054883R1	
	UVR 220...240V AC-220...250V DC T4-T5-T6	1SDA054884R1 ■	
	UVR 380...440V AC T4-T5-T6	1SDA054885R1 ■	
	UVR 480...500V AC T4-T5-T6	1SDA054886R1	
T7-T7M-X1	UVR 24V AC/DC T7-T7M-X1	1SDA062087R1	7,890
	UVR 30V AC/DC T7-T7M-X1	1SDA062088R1	
	UVR 48V AC/DC T7-T7M-X1	1SDA062089R1	
	UVR 60V AC/DC T7-T7M-X1	1SDA062090R1	
	UVR 110...120V AC/DC T7-T7M-X1	1SDA062091R1	
	UVR 120...127V AC/DC T7-T7M-X1	1SDA063551R1	
	UVR 220...240V AC/DC T7-T7M-X1	1SDA063552R1 ■	
	UVR 240...250V AC/DC T7-T7M-X1	1SDA062092R1	
	UVR 380...400V AC T7-T7M-X1	1SDA062093R1	
	UVR 415...440V AC T7-T7M-X1	1SDA062094R1	

Note: For T7 TM in Withdrable version sliding contact blocks for Fixed and Moving part are necessary




Under Voltage Release C - UVR - C			
Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3	UVR-C 24...30 V AC/DC T1-T2-T3	1SDA051351R1	7,890
	UVR-C 48V AC/DC T1-T2-T3	1SDA051352R1	
	UVR-C 110...127V AC-110...125VDC T1-T2-T3	1SDA051353R1	
	UVR-C 220...240V AC-220...250VDC T1-T2-T3	1SDA051354R1	
	UVR-C 380...440V AC T1-T2-T3	1SDA051355R1	
	UVR-C 480...500V AC T1-T2-T3	1SDA051356R1	
	UVR-C 60V AC/DC T1-T2-T3	1SDA052335R1	
T4-T5-T6	UVR-C 24V AC/DC T4-T5-T6	1SDA054887R1	8,610
	UVR-C 48V AC/DC T4-T5-T6	1SDA054888R1	

■ Stock items

Tmax accessories

1



Time Delay Device for Under Voltage Release- UVD

Frame	Description	Ordering code	L.P.(₹)
T1...T6	UVD 24...30V AC/DC T1...T6	1SDA051357R1	33,620
	UVD 48...60V AC/DC T1...T6	1SDA051358R1	
	UVD 110...125V AC/DC T1...T6	1SDA051360R1	
	UVD 220...250V AC/DC T1...T6	1SDA051361R1	
T7-T7M-X1	UVD 24/30V AC/DC E1/6 - T7-T7M-X1	1SDA038316R1	11,030
	UVD 48V AC/DC E1/6 - T7-T7M-X1	1SDA038317R1	
	UVD 60V AC/DC E1/6 - T7-T7M-X1	1SDA038318R1	
	UVD 110...125V AC/DC E1/6 - T7-T7M-X1	1SDA038319R1	
	UVD 220...250V AC/DC E1/6 - T7-T7M-X1	1SDA038320R1	

Note: Order along with relative UV release

Shunt Closing Release


Frame	Description	Ordering code	L.P.(₹)
T7M-X1	SCR 24V AC/DC T7M-X1	1SDA062076R1	7,500
	SCR 30V AC/DC T7M-X1	1SDA062077R1	
	SCR 48V AC/DC T7M-X1	1SDA062078R1	
	SCR 60V AC/DC T7M-X1	1SDA062079R1	
	SCR 110...120V AC/DC T7M-X1	1SDA062080R1	
	SCR 120...127V AC/DC T7M-X1	1SDA063549R1	
	SCR 220...240V AC/DC T7M-X1	1SDA063550R1	
	SCR 240...250V AC/DC T7M-X1	1SDA062081R1	
	SCR 380...400V AC T7M-X1	1SDA062082R1	
	SCR 415...440V AC T7M-X1	1SDA062083R1	

Note: For T7 M in withdrawable version sliding blocks for fixed and moving part are necessary


Key lock

Key Lock - KLC


Frame	Description	Ordering code	L.P.(₹)
KLC for Manual Breaker			
T1	KLC Ronis Same Key T1	1SDA051395R1	1,860
	KLC Same Key T1	1SDA053528R1	
T2	KLC Ronis Same Key T2	1SDA052015R1	
	KLC Same Key T2	1SDA053529R1	
T3	KLC Ronis Same Key T3	1SDA052016R1	2,820
	KLC Same Key T3	1SDA053530R1	
T7	KLC-D Key Lock - Different Key in Open Position T7	1SDA062134R1	
	KLC-S Same Key for Different Groups of Circuit Breakers (N. 20005) T7	1SDA062135R1	
	KLC-S Same Key for Different Groups of Circuit Breakers (N. 20006) T7	1SDA062136R1	
	KLC-S Same Key for Different Groups of Circuit Breakers (N. 20007) T7	1SDA062137R1	
	KLC-S Same Key for Different Groups of Circuit Breakers (N. 20008) T7	1SDA062138R1	3,260
	KLC Arrangement for Ronis Key Lock T7	1SDA062139R1	
	KLC Arrangement for Profalux Key Lock T7	1SDA062140R1	3,040
	KLC-D Different Key in open Position T7M	1SDA062141R1	
T7 M	KLC-S Same Key for Different Groups of Circuit Breakers (N. 20005) T7M	1SDA062142R1	
	KLC-S Same Key for Different Groups of Circuit Breakers (N. 20006) T7M	1SDA062143R1	
	KLC-S Same Key for Different Groups of Circuit Breakers (N. 20007) T7M	1SDA062144R1	
	KLC-S Same Key for Different Groups of Circuit Breakers (N. 20008) T7M	1SDA062145R1	
	KLC Same Key Ronis-Profalux T7M	1SDA062146R1	




Tmax accessories



Key Lock for Rotary Handle - RHL			
Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3	RHL Different keys in open position for rotary handleT1-T2-T3	1SDA051389R1	940
	RHL Same Keys in open position for rotary handleT1-T2-T3	1SDA051390R1	
	RHL Different keys in open /closed position for rotary handle T1-T2-T3	1SDA052021R1	
	RHL Same Keys in open position for rotary handleT1-T2-T3	1SDA060147R1	
	RHL Same Keys in open position for rotary handleT1-T2-T3	1SDA060148R1	
	RHL Same Keys in open position for rotary handleT1-T2-T3	1SDA060149R1	



Key Lock for Front / Rotary / Fixed Part- KLF			
Frame	Description	Ordering code	L.P.(₹)
T4-T5	KLF-D Lock for Front / Rotary Handle - Different Key in open PositionT4-T5	1SDA054939R1	2,730
	KLF-S Block for Front / Rotary Handle - Same Key (N. 20005) T4-T5	1SDA054940R1 ■	
	KLF-S Block for Front / Rotary Handle - Same Key (N. 20006) T4-T5	1SDA054941R1	
	KLF-S Block for Front / Rotary Handle - Same Key (N. 20007) T4-T5	1SDA054942R1	
	KLF-S Block for Front / Rotary Handle - Same Key (N. 20008) T4-T5	1SDA054943R1	
T4-T5-T6	KLF-D FP Different Key for Each Circuit Breaker T4-T5-T6	1SDA055230R1	2,840
	KLF-D FP Same Key for Different Groups of Circuit Breaker T4-T5-T6	1SDA055231R1	
	KLF-D Ronis Fixed Part- Lock Type Ronis T4-T5-T6	1SDA055233R1	
T6	KLF-D Different Key in open Position T6	1SDA060658R1	2,930
	KLF-S Same Key for Different Groups of Circuit Breakers (N. 20005) T6	1SDA060659R1 ■	
	KLF-S Same Key for Different Groups of Circuit Breakers (N. 20006) T6	1SDA060660R1	
	KLF-S Same Key for Different Groups of Circuit Breakers (N. 20007) T6	1SDA060661R1	
	KLF-S Same Key for Different Groups of Circuit Breakers (N. 20008) T6	1SDA060662R1	
T7	KLF-D Different Key in open Position T7	1SDA063555R1	2,930
	KLF-S Same Key for Different Groups of Circuit Breakers (N. 20005) T7	1SDA063556R1	
	KLF-S Same Key for Different Groups of Circuit Breakers (N. 20006) T7	1SDA063557R1	
	KLF-S Same Key for Different Groups of Circuit Breakers (N. 20007) T7	1SDA063558R1	
	KLF-S Same Key for Different Groups of Circuit Breakers (N. 20008) T7	1SDA063559R1	
	KLF Arrangment for ronis key lock T7	1SDA063560R1	
	KLF Arrangment for profalux key lock T7	1SDA063561R1	




Key lock for motor operated- MOL			
Frame	Description	Ordering code	L.P.(₹)
T4-T5	MOL-D - Same Key T4-T5	1SDA054904R1	3,040
	MOL-S - Same Key for Different Groups of Circuit Breakers (N. 20005) T4-T5	1SDA054905R1	
	MOL-S - Same Key for Different Groups of Circuit Breakers (N. 20006) T4-T5	1SDA054906R1	
	MOL-S - Same Key for Different Groups of Circuit Breakers (N. 20007) T4-T5	1SDA054907R1	
	MOL-S - Same Key for Different Groups of Circuit Breakers (N. 20008) T4-T5	1SDA054908R1	
T4-T5-T6	MOL-M - Lock only on manual operation - Same Key T4-T5-T6	1SDA054909R1	3,040
T6	MOL-D - Different key T6	1SDA060611R1	
	MOL-S - Same Key for Different Groups of Circuit Breakers (N. 20005) T6	1SDA060612R1	
	MOL-S - Same Key for Different Groups of Circuit Breakers (N. 20006) T6	1SDA060613R1	
	MOL-S - Same Key for Different Groups of Circuit Breakers (N. 20007) T6	1SDA060614R1	
	MOL-S - Same Key for Different Groups of Circuit Breakers (N. 20008) T6	1SDA060615R1	

Motor operated

Solenoid Operater - MOS


Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3	MOS Superinposed 48...60V DC T1-T2-T3	1SDA059596R1	18,360
	MOS Superinposed 110...250V AC-110...250V DC T1-T2-T3	1SDA059597R1 ■	
T1-T2	MOS Side-by-side 48...60V DC T1-T2	1SDA059598R1	22,280
	MOS Side-by-side 110...250V AC-110...250V DC T1-T2	1SDA059599R1	

Note: It is always Fitted with Socket - Plug Connector




Tmax accessories

1




Stored Energy Motor Operator - MOE			
Frame	Description	Ordering code	L.P.(₹)
T4-T5	MOE 24 V DC T4-T5	1SDA054894R1	30,250
	MOE 48...60 V DC T4-T5	1SDA054895R1	
	MOE 110...125 V AC / DC T4-T5	1SDA054896R1	
	MOE 220...250 V AC / DC T4-T5	1SDA054897R1 ■	
	MOE 380 V AC T4-T5	1SDA054898R1	
T6	MOE 24 V DC T6	1SDA060395R1	37,670
	MOE 48...60 V DC T6	1SDA060396R1	
	MOE 110...125 V AC/DC T6	1SDA060397R1	
	MOE 220...250 V AC/DC T6	1SDA060398R1	
	MOE 380 V AC T6	1SDA060399R1	

Stored Energy Motor Operator with Electronics - MOE-E			
Frame	Description	Ordering code	L.P.(₹)
T4-T5	MOE-E 24 V DC T4-T5	1SDA054899R1	39,660
	MOE-E 48...60 V DC T4-T5	1SDA054900R1	
	MOE-E 110...125 V AC / DC T4-T5	1SDA054901R1	
	MOE-E 220...250 V AC / DC T4-T5	1SDA054902R1	
	MOE-E 380 V AC T4-T5	1SDA054903R1	
T6	MOE-E 24 V DC T6	1SDA060400R1	48,930
	MOE-E 48...60 V DC T6	1SDA060401R1	
	MOE-E 110...125 V AC/DC T6	1SDA060402R1	
	MOE-E 220...250 V AC/DC T6	1SDA060403R1	
	MOE-E 380 V AC T6	1SDA060404R1	



Spring Charging Motor- M			
Frame	Description	Ordering code	L.P.(₹)
T7M	M 24...30V AC/DC T7M	1SDA062113R1	37,890
	M 48...60V AC/DC T7M	1SDA062114R1	
	M 100...130V AC/DC T7M	1SDA062115R1	
	M 220...250V AC/DC T7M	1SDA062116R1	
	M 380...415V AC T7M	1SDA062117R1	



Low insulating terminal covers - LTC			
Frame	Description	Ordering code	L.P.(₹)
T1	LTC 3p T1	1SDA051421R1	1,780
	LTC 4p T1	1SDA051422R1	2,110
T2	LTC 3p T2	1SDA051423R1	1,780
	LTC 4p T2	1SDA051424R1	2,110
T3	LTC 3p T3	1SDA051425R1	1,880
	LTC 4p T3	1SDA051426R1	2,320
T4	LTC 3p T4	1SDA054966R1	1,880
	LTC 4p T4	1SDA054967R1	2,650
T5	LTC 3p T5	1SDA054968R1	2,440
	LTC 4p T5	1SDA054969R1	3,210
T6	LTC 3p T6	1SDA014038R1	2,650
	LTC 4p T6	1SDA014039R1	3,540
T7-T7M	LTC 3p T7-T7M	1SDA063093R1	4,080
	LTC 4p T7-T7M	1SDA063094R1	5,300

Dialogue Unit - PR 222/DS-PD			
Frame	Description	Ordering code	L.P.(₹)
T4-T5-T6	PR222DS/PD LSI T4-T5-T6	1SDA055066R1	23,000
	PR222DS/PD LSIG T4-T5-T6	1SDA055067R1	24,000

Note : Order X3 connector along with dialogue unit

Dialogue Unit - Ekip E-LSIG			
Frame	Description	Ordering code	L.P.(₹)
T5	DIALOG Ekip E-LSIG MOD.T5 (EXTR)	1SDA081094R1	23,000

■ Stock items

Tmax accessories

1

X3 Connector			
Frame	Description	Ordering code	L.P.(₹)
T4-T5-T6	X3 Connector for fixed circuit-breaker PR222DS or PR223DS	1SDA055059R1	4,640
	X3 Connector for plug-in/withdrawable circuit-breaker	1SDA055061R1	
HMI030			
Frame	Description	Ordering code	L.P.(₹)
T4-T5-T6-T7/ E1-E6	HMI030 interface on the front of switchgear	1SDA063143R1	32,960

Measurement Module - VM210			
Frame	Description	Ordering code	L.P.(₹)
T4-T5-T6	VM210 T4-T5-T6	1SDA059602R1	25,750

Note : Order X4 connector along with measurement module
Mounted only with PR223/DS

X4 Connector			
Frame	Description	Ordering code	L.P.(₹)
T4-T5-T6	X4 Connector for fixed circuit-breaker	1SDA055060R1	4,640
	X4 Connector for plug-in/withdrawable circuit-breaker	1SDA055062R1	

Interface Module - EP010			
Frame	Description	Ordering code	L.P.(₹)
T4-T5-T6	EP010 - Interface Module for PR222/PD	1SDA059469R1	26,780

Note : Converter for Modbus to ASI, DeviceNet & Profibus for MCCB & ACB. Used along with dialogue module

Residual current releases


SACE RC22x			
Frame	Description	Ordering code	L.P.(₹)
T1	RC221/1 3p Fixed T1	1SDA051398R1	19,840
	RC221/1 4p Fixed T1	1SDA051401R1	23,150
	RC222/1 3p Fixed T1	1SDA051400R1	19,840
	RC222/1 4p Fixed T1	1SDA051402R1	23,150
	RC222/1 Mod200mm 4p Fixed T1	1SDA053869R1	28,660
T2	RC221/2 4p Fixed T2	1SDA051405R1	24,810
	RC222/2 3p Fixed T2	1SDA051404R1	20,400
	RC222/2 4p Fixed T2	1SDA051406R1	24,810
T3	RC221/3 3p Fixed T3	1SDA051407R1	25,350
	RC221/3 4p Fixed T3	1SDA051409R1	33,620
	RC222/3 3p Fixed T3	1SDA051408R1	25,350
T4	RC222/4 4p Fixed T4	1SDA054954R1	41,880
	RC223/4 4p Fixed T4 250	1SDA054956R1	49,600
T5	RC222/5 4p Fixed T5	1SDA054955R1	46,850

Note: The Residual Current Releases for the T2 and T3 Circuit Breakers always Supplied Complete with FC Cu Terminal Kit


Automatic Transfer Switch - ATS

Automatic Transfer Switch			
Frame	Description	Ordering code	L.P.(₹)
T3-T7/ E1-E6	ATS021	1SDA065523R1 ■	82,000
	ATS022	1SDA065524R1	90,000

Note : ATS will be used along with either two motorized ACB or MCCBs with required interlocking and changeover base plate as per the requirement.



Tmax accessories





1

Mechanical Interlock Between Circuit Breakers - MIF

Frame	Description	Ordering code	L.P.(₹)
T1-T2-T3	MIF Mechanical Interlock Between 2 Breakers T1-T2-T3	1SDA051396R1	4,460
	MIF Mechanical Interlock Between 3 Breakers T1-T2-T3	1SDA052165R1	8,070

Note: Incompatible with the front accessories (solenoid operator, rotary handle operating mechanism) and with the residual current releases.



Mechanical Interlock Between Circuit Breakers - MIR - to be used with copper spreaders only

Frame	Description	Ordering code	L.P.(₹)
T3	MIR-H Horizontal Mechanical Interlock T3	1SDA063324R1	7,430
	MIR-V Vertical Mechanical Interlock T3	1SDA063325R1	
T4-T5	MIR-HB Horizontal Interlock Frame Unit T4-T5	1SDA054946R1	8,810
	MIR-VB Vertical Interlock Frame Unit T4-T5	1SDA054947R1	
	MIR-P Plate for Interlock Type A T4 (F-P-W) + T4 (F-P-W)	1SDA054948R1	4,850
	MIR-P Plate for Interlock Type B T4 (F-P-W) + T5 400 (F-P-W) or T5 630 (F)	1SDA054949R1	
	MIR-P Plate for Interlock Type C T4 (F-P-W) + T5 630 (P-W)	1SDA054950R1	
	MIR-P Plate for Interlock Type D T5 400 (F-P-W) or T5 630 (F) + T5 400 (F-P-W) or T5 630 (F)	1SDA054951R1	
	MIR-P Plate for Interlock Type E T5 400 (F-P-W) or T5 630 (F) + T5 630 (P-W)	1SDA054952R1	
	MIR-P Plate for Interlock Type F T5 630 (P-W) + T5 630 (P-W)	1SDA054953R1	
T6	MIR-H Horizontal Mechanical Interlock T6	1SDA060685R1	15,350
	MIR-V Vertical Mechanical Interlock T6	1SDA060686R1	

Note: For interlocking in T4-T5, Order both Frame and Plate unit

Mechanical Interlock with Cables Between 2 Circuit Breakers

Frame	Description	Ordering code	L.P.(₹)
T7-T7M	Cable Kit for Interlock T7-T7M	1SDA062127R1	6,390
	Cable Kit for Interlock T7-T7M with E1-6	1SDA064568R1	6,960
	Plate for Interlock T7-T7M Fixed	1SDA062129R1	25,450
	Plate for Interlock T7-T7M withdrawble	1SDA062131R1	27,230

Note: It is Necessary to Order 2 Plate and one Kit of Cables

Ordering codes Tmax T4

The product will be available only as loose trip units:

T4	Ekip E-LSIG In=160 3p T4	1SDA081074R1	Upon request
	Ekip E-LSIG/COM In=160 3p T4	1SDA081075R1	
	Ekip E-LSIG In=160 4p T4	1SDA081076R1	
	Ekip E-LSIG/COM In=160 4p T4	1SDA081077R1	
	Ekip E-LSIG In=250 3p T4	1SDA081078R1	
	Ekip E-LSIG/COM In=250 3p T4	1SDA081079R1	
	Ekip E-LSIG In=250 4p T4	1SDA081080R1	
	Ekip E-LSIG/COM In=250 4p T4	1SDA081081R1	
	KIT x CONNECTION Ext Ne T4	1SDA081073R1	

Ordering codes Tmax T5

The product will be available as loose trip units and also already mounted to specific breaking parts:

T5	Ekip E-LSIG In=320 3p T5	1SDA081082R1	Upon request
	Ekip E-LSIG/COM In=320 3p T5	1SDA081083R1	
	Ekip E-LSIG In=320 4p T5	1SDA081084R1	
	Ekip E-LSIG/COM In=320 4p T5	1SDA081085R1	
	Ekip E-LSIG In=400 3p T5	1SDA081086R1	
	Ekip E-LSIG/COM In=400 3p T5	1SDA081087R1	
	Ekip E-LSIG In=400 4p T5	1SDA081088R1	
	Ekip E-LSIG/COM In=400 4p T5	1SDA081089R1	
	Ekip E-LSIG In=630 3p T5 630	1SDA081090R1	
	Ekip E-LSIG/COM In=630 3p T5 630	1SDA081091R1	
	Ekip E-LSIG In=630 4p T5 630	1SDA081092R1	
	Ekip E-LSIG/COM In=630 4p T5 630	1SDA081093R1	
	KIT x CONNECTION Ext Ne T5	1SDA081073R1	

Tmax conversion kit

Plug-in and drawout conversion

Frame	Pole	Type	Description	Ordering code	L.P.(₹)
T2	3P	Plugin Kit	KIT MP T2 P 3p KIT CONVERSION	1SDA051411R1	4,760
			T2 P FP 3p F	1SDA051329R1	8,730
T3			KIT MP T3 P 3p KIT CONVERSION	1SDA051413R1	6,010
			T3 P FP 3p F	1SDA051331R1	8,960
T4			KIT MP T4 P 3p	1SDA054839R1	6,920
			T4 P FP 3p EF	1SDA054737R1	9,640
T5			KIT MP T5 400 P 3p	1SDA054843R1	9,070
			T5 400 P FP 3p EF	1SDA054749R1	19,490
T5			KIT MP T5 630 P 3p	1SDA054847R1	11,000
			T5 630 P FP 3p EF	1SDA054762R1	23,230
T4		Drawout Kit	KIT MP T4 W 3p	1SDA054841R1	10,200
			T4 W FP 3p EF	1SDA054743R1	18,930
T5			KIT MP T5 400 W 3p	1SDA054845R1	14,280
			T5 400 W FP 3p EF	1SDA054755R1	32,300
T5			KIT MP T5 630 W 3p	1SDA054849R1	18,250
			T5 630 W FP 3p EF	1SDA054768R1	38,530
T6			KIT MP T6 630/800 W 3p	1SDA060390R1	19,040
			T6 W FP 3p EF	1SDA060384R1	40,230
T7			KIT MP T7-T7M-X1 W 3p	1SDA062162R1	31,050
			T7-X1 W FP 3p EF-EF	1SDA062045R1	59,490
T2	4P	Plugin Kit	KIT MP T2 P 4p KIT CONVERSION	1SDA051412R1	6,240
			T2 P FP 4p F	1SDA051330R1	11,790
T3			KIT MP T3 P 4p KIT CONVERSION	1SDA051414R1	7,030
			T3 P FP 4p F	1SDA051332R1	12,350
T4			KIT MP T4 P 4p	1SDA054840R1	9,180
			T4 P FP 4p EF	1SDA054740R1	12,810
T5			KIT MP T5 400 P 4p	1SDA054844R1	11,900
			T5 400 P FP 4p EF	1SDA054752R1	25,840
T5			KIT MP T5 630 P 4p	1SDA054848R1	14,620
			T5 630 P FP 4p EF	1SDA054765R1	30,820
T4		Drawout Kit	KIT MP T4 W 4p	1SDA054842R1	13,490
			T4 W FP 4p EF	1SDA054746R1	25,270
T5			KIT MP T5 400 W 4p	1SDA054846R1	18,930
			T5 400 W FP 4p EF	1SDA054758R1	43,060
T5			KIT MP T5 630 W 4p	1SDA054850R1	21,650
			T5 630 W FP 4p EF	1SDA054771R1	51,440
T6			KIT MP T6 630/800 W 4p	1SDA060391R1	23,340
			T6 W FP 4p EF	1SDA060387R1	52,120
T7			KIT MP T7-T7M-X1 W 4p	1SDA062163R1	36,150
			T7-X1 W FP 4p EF-EF	1SDA062049R1	79,540

Tmax conversion kit

Accessories:

Frame / Type	Description	Ordering code	L.P.(₹)
Connector	ADP 5pin SOR-C /UVR-C T4-T5-T6 P/W	1SDA055173R1	2,040
	ADP 6pin AUX -C T4-T5-T6 P/W	1SDA054922R1	1,590
	ADP 10pin MOE AUE -C T4-T5-T6 P/W	1SDA054924R1	2,040
	ADP 12pin AUX -C T4-T5-T6 P/W	1SDA054923R1	2,610
MOT T7M	LEFT SLIDING CONTAC.MP C.BR.T7-T7M-X1	1SDA062164R1	4,760
	LEFT SLIDING CONTAC.FP C.BR.T7M-X1	1SDA062167R1	7,030
SOR/SCR/UVR/AUX - T7-T7M	RIGHT SLIDING CONTAC.MP C.BR.T7-T7M-X1	1SDA062166R1	4,760
	RIGHT SLIDING CONTAC.FP C.BR.T7M-X1	1SDA062169R1	7,030
Central Block for T7-T7M	Central block - MP T7 - T7M	1SDA062165R1	4,760
	Central block - FP T7 - T7M	1SDA062168R1	7,030

Note: The plug-in version must be composed as follows

- 1) Fixed circuit-breaker
- 2) Conversion kit from fixed into moving part of plug-in
- 3) Fixed part of plug-in

2) Conversion kit from fixed into moving part of withdrawable

- 3) Fixed part of withdrawable
- 4) Front for lever operating mechanism or rotary handle or motor operator
- 5) Sliding contacts blocks if the circuit-breaker is automatic or fitted with electrical accessories (only for T7)

Note: The withdrawable version must be composed as follows

- 1) Fixed circuit-breaker

Tmax PV: photovoltaic range moulded case switch disconnecter



Tmax PV is the latest T Generation product up to 1600 A / 1100 V DC / 1500V DC.

- IEC 60947-3 certification
- 6 different sizes: from the compact T1 (which can be mounted on DIN rail) to the high-performance T7, available in the two versions, with lever operating mechanism and motor operator
- Rated insulation voltage up to 1150 V DC /1500V DC
- Advantages like
 - excellent performance-dimensions
 - vast and complete range of accessories for all requirements
 - Complete remote control with MOE options

Rated current In (A)	Rated Voltage	Description	Version / Poles	Ordering Code	L.P. (₹)
160	1100 V DC	T1D/PV 160 4p F FC Cu 1100V DC	Fixed / 4p	1SDA069816R1	Upon Request
200		T3D/PV 200 4p F FC Cu 1100V DC	Fixed / 4p	1SDA069822R1	
250		T4D/PV 250 4p F F 1100V DC	Fixed / 4p	1SDA069823R1	
500		T5D /PV 500 4p F F 1100V DC	Fixed / 4p	1SDA069824R1	
800		T6D/PV 800 4p F F 1100V DC	Fixed / 4p	1SDA069825R1	
1250		T7D/PV 1250 4p F F 1100V DC	Fixed / 4p	1SDA069826R1	
1250M		T7D/PV 1250 4p F F M 1100V DC	Fixed / 4p	1SDA069827R1	
1600		T7D/PV 1600 4p F F 1100V DC	Fixed / 4p	1SDA069828R1	
1600M		T7D/PV 1600 4p F F M 1100V DC	Fixed / 4p	1SDA069829R1	

*For information contact our nearest sales office

Rated current In (A)	Rated Voltage	Description	Version / Poles	Ordering Code	L.P. (₹)
250	1500V DC	T4D/PV-E 250 4p F F 1500V DC	Fixed / 4p	1SDA073559R1	Upon Request
500		T5D/PV-E 500 4p F F 1500V DC	Fixed / 4p	1SDA076898R1	
1250		T7D/PV-E 1250 4p F F M 1500V DC	Fixed / 4p	1SDA073560R1	
1600		T7D/PV-E 1600 4p F F M 1500V DC	Fixed / 4p	1SDA073561R1	
250	1500V DC	KIT 2JUMPER U 2+2PS T4D/PV 250	Kit jumpers	1SDA070454R1	Upon Request
500		KIT 2JUMPER U 2+2PS T5D/PV-E 500	Kit jumpers	1SDA076899R1	
1250		KIT JUMPER U 2+2PS T7D/PV 1250	Kit jumpers	1SDA070429R1	
1600		KIT JUMPER U 2+2PS T7D/PV 1600	Kit jumpers	1SDA070431R1	

*Jumper kit is compulsory to order with 1500V DC version

36 Tmax conversion kit | **Protection and connection**

ES CITROEN SWITCHGEARS PVT. LTD.

AUTHORIZED DISTRIBUTORS AND CHANNEL PARTNER

147, Tavawala Building, Room No. 2, 1st Floor, Kantilal M Sharma St, Lohar Chawl, Kalbadevi, Mumbai - 400002, Maharashtra

✉ citroenswg@gmail.com www.citroenswitchgears.com

☎ 022-40223444 / 48 📞 +91-9820329301